

3/08/2019

To the Board of Firefighter Personnel and Standards,

I, Tanner Hutt, PSID# 2597-4783 request a variance to 655 IAC 1-2.1-8 (b) (1). This rule requires 1 year certification as a Firefighter 2 prior to application for Fire Officer 1 certification. I took Firefighter 1 & 2 training under a variance that was approved 10/03/2016, however due to a testing failure of Module A, I did not receive certification until 2018 when I repeated the practical skills and retested. My current role is as a career mentor to new firefighters and I am very active in this program at the Sellersburg Volunteer Fire Department. My understanding of the intent of the rule is to prevent unexperienced personnel from leading others into a bad situation. I appeal to the Board for this exception based on my prior training and allow this based on the time it was done verses the actual certification.

Respectfully

Tanner Hutt  
601 Hamburg Way  
Sellersburg, IN 47172  
[Tjhutt99@gmail.com](mailto:Tjhutt99@gmail.com)  
812-697-3503

3/08/2019

To the Board of Firefighter Personnel and Standards,

I, Tanner Hutt, PSID# 2597-4783 request a variance to 655 IAC 1-2.1-19 (b). This rule requires 1 year certification as a Firefighter 2 prior to application for Fire Instructor 1 certification. I took Firefighter 1 & 2 training under a variance that was approved 10/03/2016, however due to a testing failure of Module A, I did not receive certification until 2018 when I repeated the practical skills and retested. My current role is as a career mentor to new firefighters and I am very active in this program at the Sellersburg Volunteer Fire Department. My understanding of the intent of the rule is to prevent unexperienced personnel from instructing others. I appeal to the Board for this exception based on my prior training and allow this based on the time it was done verses the actual certification.

Respectfully

Tanner Hutt  
601 Hamburg Way  
Sellersburg, IN 47172  
[Tjhutt99@gmail.com](mailto:Tjhutt99@gmail.com)  
812-697-3503